

DU5 Rec'd PCT/PTO 16 SEP 2002

LAW OFFICES OF
SYNNESTVEDT & LECHNER LLP
2600 ARAMARK TOWER
1101 MARKET STREET
PHILADELPHIA, PA 19107-2950
TELEPHONE : 215 923-4466
FACSIMILE 215 923-2189
E-MAIL synnlech@synnlech.com
www.synnlech.com

September 16, 2002


IN THE UNITED STATES DESIGNATED/ELECTED OFFICE

In re application of Robert J. Steffan and Kevin R. McClay
U.S. Application No. 10/088,991
International Application No. PCT/US00/14637
International Filing Date May 26, 2000
Preparation of Enatio-Specific Epoxides

(Atty. Docket No. P23,149A USA)

CERTIFICATE OF EXPRESS MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service on this date, September 16, 2002, in an envelope as "Express Mail Post Office to Addressee", Mailing Label No. EV041057185US addressed to: Commissioner for Patents, Box PCT, Washington, D.C. 20231.



Ryan P. White

Commissioner for Patents
Box PCT
Washington, D.C. 20231

Attention: DO/EO/US

**REPLY TO NOTIFICATION OF MISSING
REQUIREMENTS UNDER 35 U.S.C. 371 IN THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US) OF JULY 23, 2002**

Sir:

In response to the "Notification of Missing Requirements under 35 U.S.C. 371 in the United States Designated/Elected Office (DO/EO/US), dated July 23, 2002, enclosed herewith for filing are the following:

Attorney Docket No. P23,149A USA
U.S. Application No. 10/088,991

September 16, 2002

- (A) Declaration and Power of Attorney, executed by Robert J. Steffan and Kevin R. McClay, as applicants/inventors; and
- (B) copy of Notification of Missing Requirements under 35 U.S.C. 371 in the United States Designated/Elected Office (DO/EO/US), dated July 23, 2002.

Any Patent Office fees associated with this Reply should be charged to Deposit Account No. 19-5425. A duplicate of this Reply is enclosed for charging purposes.

Respectfully submitted,



Patrick J. Kelly
Registration No. 34,638

Synnestvedt & Lechner LLP
2600 Aramark Tower
1101 Market Street
Philadelphia, PA 19107-2950
(215) 923-4466